Fact Sheet - Lao

ຫວງທອງແດງ IUD

The Copper IUD



ຫວຸງທອງແດງ IUD ແມນຫຍັງ?

ຫວງທອງແດງ IUD ແມ່ນອຸປະ ກອນນ້ອຍໆທີ່ມີສາຍລວດ ທອງແດງຄູງນໄວ້ອ້ອມໆກ້ານ. ຫ່ວງຈະຖືກໃສ່ໄວ້ທາງໃນມິດລູກ (ພຶກລູກ) ເພື່ອປ້ອງກັນບໍ່ໃຫ້ຕັ້ງທ້ອງ.



ຫ່ວງນີ້ມີເຊືອກໄນລອນເສັ້ນບາງໆຕິດຢູ່. ເມື່ອຫ່ວງທອງແດງ IUD ຖືກສອດໃສ່ໄວ້ຢ່າງດີແລ້ວ, ເຊືອກນັ້ນຈະຢ່ອນອອກມາທາງປາກມິດ ລູກ (ທາງປາຍຂອງມິດລູກ) ຜ່ານທາງຊ່ອງຄອດ. IUD ສາມາດໃສ່ ໄວ້ເປັນເວລາຫ້າຫາສິບປີຂຶ້ນກັບຊະນິດຂອງຫ່ວງ.

ຫ່ວງທອງແດງ IUD ເຮັດວຽກຢ່າງໃດ?

ທາດທອງແດງທີ່ຖືກປ່ອຍອອ<mark>ກ</mark>ມາຈາກ IUD ມີຕືນຕໍ່ທັງເຊື້ອ ສະເປີມແລະໄຂ່ເຮັດໃຫ້ມັນບໍ່ສາມາດພົບກັນໄດ້ແລະ IUD ເຮັດໃຫ້ເກີດຄວາມປ່ຽນແປງຂຶ້ນ ໃນເຍື່ອຕະໜັງມິດລູກເຮັດໃຫ້ບໍ່ ເໝາະສົມຕໍ່ ການຕັ້ງທ້ອງ.

ມັນເຮັດວຽກໄດ້ດີປານໃດ?

ຫວງຫອງແດງ IUD ເຮັດວຸງກໄດ້ດີຫຼາຍ. ມັນມີປະສິດທີ່ຜົນໄດ້ດີເກີນ 99%.

ແມ່ນໃຜໃຊ້ ຫ່ວງທອງແດງ IUD ໄດ້?

ແມ່ຍິງສ່ວນຫຼາຍສາມາດໃຊ້ ຫ່ວງທອງແດງ IUD ໄດ້, ຮວມທັງແມ່ ຍິງທີ່ບໍ່ເຄີຍມື້ລູກມາກ່ອນ, ແຕ່ວ່າໃຫ້ລົ້ມກັບທ່ານໝໍຂອງທ່ານເບິ່ງ, ເພາະວ່າມີເຫດຜົນບາງຢ່າງທີ່ເຮັດໃຫ້ມັນອາດບໍ່ເໝາະສົມກັບທ່ານ.

ແມ່ນໃຜແດ່ບໍ່ຄວນໃຊ້ IUD?

ທ່ານບໍ່ຄວນໃຊ້ IUD ຖ້າທ່ານອາດຈະຖືພາຢູ່. ມັນອາດຈະເປັນ ການດີກວາສຳລັບແມ່ຍິງທີ່ປະຈຳເດືອນມາຫຼາຍ ທີ່ຈະໃຊ້ IUD ແບບມີໂປຣແຈສໂຕເຈີນ. ມີບັນຫາທາງສຸຂະພາບບາງຢ່າງທີ່ທ່ານ ອາດມີທີ່ອາດເຮັດໃຫ້ໃຊ້ ຫ່ວງທອງແດງ IUD ບໍ່ໄດ້. ເປັນສິ່ງສຳຄັນທີ່ ຕ້ອງລິມກັບທ່ານໝໍເພື່ອໃຫ້ໝັ້ນໃຈວ່າທ່ານໃຊ້ຫ່ວງນີ້ໄດ້ໂດຍປອດໄພ.

ມີຜືນຂ້າງຄຸງງບໍ?

ປະຈຳເດືອນຂອງທ່ານອາດຈະມາໜັກຂຶ້ນ, ດິນຂຶ້ນແລະບາງເທື່ອກໍ່ ອາດເຈັບຫຼາຍຂຶ້ນເມື່ອໃສ່ຫວງທອງແດງ IUD. ມີເປີເຊັນເລັກນ້ອຍ ວ່າອາດເກີດການຕິດເຊື້ອແຖບກະ ໂທ້ຍ ຕອນສອດ ຫ່ວງທອງແດງ IUD. ທ່ານໝໍ່ຫຼືພະຍາບານຈະບອກທ່ານວ່າຄວາມສູ່ງງຢ່າງອື່ນໃນການ ສອດຫ່ວງທອງແດງ IUD ມີຫຍັງແດ່? ທ່ານຈະໄປເອົາ ຫ່ວງທອງແດງ IUD ໄດ້ຢູ່ໃສ?

ທ່ານຕ້ອງໄປຫາທ່ານໝໍຫຼືຄລີນິກວາງແຜນຄອບຄົວ. ປົກກະຕິ ທ່ານຕ້ອງໄປຫາທ່ານໝໍຫຼືຄລີນິກວາງແຜນຄອບຄົວ. ປົກກະຕິ ທ່ານຕ້ອງຂໍໃຫ້ໄປສອງຄັ້ງ. ຄັ້ງທຳອິດ ທ່ານໝໍຈະຖາມກ່ຽວ ກັບສຸຂະພາບຂອງທ່ານແລະອະທິບາຍໃຫ້ຟັງກ່ຽວກັບ IUD. ທ່ານຈະໄດ້ຮັບການກວດຊ່ອງຄອດ/ແຖບກະໂທ້ຍ ແລະ ອາດຈະກວດ ເບິ່ງການຕິດເຊື້ອໃນຊ່ອງຄອດ. ເມື່ອໄປຄັ້ງທີສອງໝໍຈະສອດ IUD ໃສໃຫ້. ການສອດນີ້ໃຊ້ເວລາປະມານ 10 ນາທີ. ແມ່ຍິງບາງຄົນອາດ ຈະຮູ້ສຶກບໍ່ຄ່ອຍສະບາຍປານໃດໃນຂະນະທີ່ແມ່ຍິງຄົນອື່ນອາດຮູ້ສຶກວ່າເຈັບ. ບາງຄົນຈະຮູ້ສຶກເປັນວິນລະຫວ່າງທີ່ສອດໃສ່ຫຼືຫຼັງຈາກນັ້ນ ແລະ ທ່ານອາດຕ້ອງພັກລະຍະໜຶ່ງກ່ອນ ອອກຈາກຄລີນິກ. ທ່ານບໍ່ຕ້ອງອືດອາຫານກ່ອນມາເຮັດ, ຄວາມຈິງແລ້ວ ອາດເປັນການດີທີ່ຈະກິນກອນໄປ. ທ່ານຕ້ອງກະເວລາໄວ້ຢ່າງນ້ອຍ ຊີ່ວໂມງໜຶ່ງໃນຄລີນິກ.

ຈະເອົາຫ່ວງທອງແດງ IUD ອອກວິທີໃດ?

ທ່ານຕ້ອງໄປຫາທ່ານໝໍຫຼືຄລີນິກວາງແຜນຄອບ ຄືວເມື່ອເອົາອອກ. ທ່ານໝໍຈະໃຊ້ເຄື່ອງມືພິເສດ ໃນການເອົາ IUD ອອກໂດຍດຶງເຊືອກອອກເບົາໆ. ອັນນີ້ ຈະໃຊ້ເວລາແຕ່ພູງສອງສາມນາທີ. ແມ່ຍິງບາງຄົນຮູ້ສຶກບໍ່ຄອຍສະບາຍ ແຕ່ວ່າ ແມ່ຍິງສ່ວນໃຫຍ່ບໍ່ຄ່ອຍ ຮູ້ສຶກຫຍັງຫຼາຍ.

ສິ່ງທີ່ຄວນຈຳ

ໃຫ້ກວດເບິ່ງພາຍໃນຂ່ອງຄອດໂດຍໃຊ້ນິ້ວມືກວດເບິ່ງເຊືອກທຸກໆ ເດືອນຫຼັງຈາກປະຈຳເດືອນຢຸດ, ເພື່ອໃຫ້ພັ້ນໃຈວ່າ IUD ຍັງຢູ່ບ່ອນເກົ່າ. ຖ້າຫາກວ່າປະຈຳເດືອນຂອງທ່ານມາຊ້າເກີນກວ່າອາທິດໜຶ່ງ, ມີ ການປ່ຽນແປງລະບົບເລືອດຈາກທີ່ເຄີຍເປັນຕາມປົກກະຕິຫຼືຖ້າ ທ່ານກັງວິນວ່າທ່ານອາດຕັ້ງຫ້ອງ, ໃຫ້ໄປຫາທ່ານໝໍຫຼືຄລີນິກເພື່ອ ກວດເບິ່ງວ່າຕັ້ງຫ້ອງຫຼືບໍ່.

ຖ້າທ່ານຮູ້ສຶກວ່າມີລົງຂາວອອກມາຜິດປົກກະຕິຈາກຊ່ອງຄອດຫຼືເຈັບ ທ້ອງນ້ອຍ. ໃຫ້ໄປຫາໝໍ້ທັນທີ.


ຖ້າຕ້ອງການຂໍ້ມູນເພີ້ມເຕີມ

- ໃຫ້ຕິດຕໍ່ສາຍສິນທະນາຂອງພະແນກວາງແຜນຄອບຄົວແຫ່ງລັດ NSW ທີ່ເລກ ໂທ 1300 658 886 ຫຼືເຂົ້າໄປເບິ່ງ www.fpnsw.org.au/talkline
- NRS (ສໍາລັບຄືນພິການຫູ) 133 677
- ຫຼື ໄປທີ່ຄລີນິກວາງແຜນຄອບຄົວ ໃກບານທານ

www.fpnsw.org.au | talkline 1300 658 886 | bookshop

ບໍລິການປິ່ນປົວ&ໃຫ້ ຂໍ້ມູນ | ສຶກສາ ຝຶກງານ | ຄົ້ນຄວ້າ | ພັດທະນາສາກິນ

ພະແນກວາງແຜນຄອບຄົວ ຣັດ NSW ແມ່ນອົງການທີ່ບໍ່ຫວັງຜົນກຳໄລ ໄດ້ຮັບການອຸປະຖຳໂດຍກະຊວງສາທາຣະນະສຸກ ຣັດ NSW.





Fact Sheet - English

THE COPPER IUD



What Is A Copper IUD?

A Copper IUD is a small plastic device with copper wire wrapped around its stem. It is placed inside the uterus (womb) to prevent pregnancy. It has a fine nylon string attached to it. When the Copper IUD is in place, the string comes out through the cervix (the end of the uterus) into the vagina. The IUD can stay in place for five to ten years depending on the type.



How Does The Copper IUD Work?

The copper released from the IUD affects both the sperm and the eggs making it unlikely they will meet and the IUD causes changes in the lining of the womb making it less suitable for a pregnancy.

How Well Does It Work?

The Copper IUD works very well. It is more than 99% effective.

Who Can Use A Copper IUD?

Most women are able to use a copper IUD, including women who haven't had a baby before, but talk to your doctor, as there are some reasons why it may not be right for you.

Who Should Not Use An IUD?

You should not use an IUD if you could be pregnant.

It may be better for women who have heavy periods to use a progestogen IUD. There are some medical

conditions that you may have which could prevent you from using the Copper IUD. It is very important to talk with your doctor to be sure it is safe for you to use it.

Are There Any Side Effects?

Your periods may be heavier, longer and sometimes more painful with a copper IUD.

There is a small chance of getting a pelvic infection at the time of the copper IUD insertion.

The doctor or nurse will tell you about other risks of having the copper IUD inserted.

How Do You Get The Copper IUD?

You need to go to a doctor or Family Planning Clinic. Usually you are asked to make two visits. On the first visit the doctor asks questions about your health and tells you about the IUD. You will have a vaginal/pelvic examination and possibly a test for vaginal infection. On the second visit the IUD is inserted. The procedure takes about 10 minutes. Some women may find the experience a bit uncomfortable while others may find it somewhat painful. Some women can feel faint during or after the insertion and you will probably need to rest for a while before you leave the clinic.

You do not have to fast before the procedure, in fact it is a good idea to eat beforehand. You should allow at least an hour to be at the clinic.

How Is The Copper IUD Taken Out?

You need to go to a doctor or Family Planning Clinic to have it taken out. The doctor uses a special instrument to remove the IUD by gently pulling on the string. This only takes a couple of minutes. Some women find it a little uncomfortable but most women don't feel much at all.

Things To Remember

Feel inside your vagina with your finger to check the string each month after your period, to be sure the IUD is in place.

If your period is more than a week overdue, you have a change in your usual bleeding pattern or you are

www.fpnsw.org.au | talkline 1300 658 886 | bookshop

 $\label{lem:clinical services & information | education \& training | research | international development \\ \textit{Family Planning NSW} is a not-for-profit organisation funded by the NSW Ministry of Health \\ \\$





concerned that you could be pregnant, go to see your doctor or clinic for a pregnancy test.

If you have any unusual discharge from your vagina or pain low in your abdomen, see your doctor straight away.

For Further Information

- Contact the Family Planning NSW Talkline on 1300 658 886 or go to www.fpnsw.org.au/talkline
- NRS (for deaf) 133 677
- Or visit your nearest Family Planning clinic

Reviewed: June 2014 | FPNSW 06/14

The information in this Factsheet has been provided for educational purposes only. Family Planning NSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit an Family Planning NSW clinic.



 $\label{lem:clinical services & information | education \& training | research | international development \\ \textit{Family Planning NSW} is a not-for-profit organisation funded by the NSW Ministry of Health \\ \\$

