


Fact Sheet - Dinka

KONDOM Ë MOC

The Male Condom



Kondom ë Moc Ye Kë Yindä?

Kondom ë moc ee kë la kôu cuëllél cë looialon lítik ku athiöök thok alañ tök. Yeen a ye cuoøth cul cë tööt kôu të têec tik ke moc, rin bë liëc gël. A lej kondoom ë moc kôk këc looi lítik ku keek aa cë looi kë col poliyuretheen. Kondom ë moc a ye lac col alä ke 'kondom' path. Kondoom aa tuenytueeny ye yok töc yic (STIs) gël aya, gut tuenyt HIV.

Ye Kondom Luui Kadä?

Kondoom ee mith dom të wël moc keek. Na looi keya ka mith aa cïn të bï kek röm kek tuon tik bë meth yok.

Ye Diec Luui Kadä?

Kondoom aa njec luui të njicke cej. Keek aa njec luui arak 82 yet 98 buoøtic, ku njec luon den ee rot thäny të ye cëj yeen. Keya ka diäär ka 2 yet 18 tik buoøt yic aa lëu bik liëc të têec kek ke moc ka moc cej kondom.

Yeja Cë Pät Bë Kondom Cej?

Röör juääc aa cej kondom.


Ye Kondom Cej Kadä?

- Kondoom a tööu ka tök cë kuöth rot, ka yeen apath ba kuöth kaj njaath thok, ku duk kondom dhiäm kôu yï riöp
- Kondom ee rëer cë mat yic. A ba ya tij cït alön la niëknïëk cë riic yic ku le thok nullul, ku ee yen kondom cë kan kënë. Tij lön cï thonj la nullul rot duol lön bï alañ thïn lön bï të cë rot wël yïñ. Apath ba deet keya rin bï yen rot njec cuoøth.
- Dom riec kôu ciel ku nyieec yic ciin bundit ku ciin nyuöth ke ciin ciel. Kën a bë yön mith looi ye thok. Kondom dëd a ye looi rëk bë thuonj de thonj thïn thok rin bë laj të yïñ bï mith wäl thïn të wël moc.
- Cul a dhil kaj tööt ku jal kondom cuoøth. Ka kondom nuot mat yic, ku ka yï cë thuonj de nyieec yic, täau kondom cul nhom cë geenj
- Jal kondom pen cul kôu ciin duun dëd (ciin bundit ku ciin nyuöth ke ciin ciel) rëk ba yæet cul cök
- Jal töc kôu miök të bï yen piath keya.
- Na ca thök ku cul a nuot këc gua la nuan ka dom kondom cul kôu rin bë cï weth wath yic ku cë mith wël wei, ku jol cul miëët amääth bë yic cï pëth weëth

- Piööth kondom bei ku ruk yeth bë mith cï wël wei
- Kuäth warak ku täau aditanyuoon yic. Duk cuet thonylaroor yic.

Muk Yi Nhom

- Ye kondom tööu të cïn yic atuöc ku ruelaköl
- Ye nïn riëek yen kaj caath ku jal cej
- Caath kuöth lön cï yen kôu dhiäm wälä lön cï ye kaj njaany thok
- Duk cul col køj mur goot ka yï këc kondom gua cuoøth



Lej Kë Lëu Bë Wäac?

A cïn kë lëu bë wäac, të cï yïn ye muön ke alön lítik wälä ke miök töc yeen. Kën a ce rot lac looi.

A lëu ba yæoc kondom cë looi poliyuretheen të ye lítik muön ke yïñ wälä të yen muön ke tiñ têec wek.

Ba Kondoom Yök Kadä?

A lëu ba kondoom cë looi alön lítik yæoc Bëëyakïüm ë Guiér Macthook, dukään wal yiic, bëëyakïüm ë pial guöp alañ töc, mäkana yæec rot, dukään dït yiic ku a lëu bë tuöc yïñ dhël atuc. Kondoom këc looi alön lítik aa töu dukään dït yiic ku dukään wal yiic.

Kä Ba Muk Yi Nom

Kondom apath bī kōc tōc ARAK TÖK.

Kondoom aa riääk, ka yeen apath ba ke ya tōöu tē lir thuat ku loi tōc keek ka kööl deen riääk kēc wan, rin ye kek yiic reet tē cī kek ceñ. Miök ye kondom tōc ee dēd kondom cōl areet yic.

Kondom ee bēn cē tōc miök ku apath bē ben tōc kōu miök cē liääp ke püu.

Na ca nhom määr kondom, tēdā ka yīn a diu ciët kēc luon de looi, cēmēn tē cī yen yic reet wälä tē cī yen piööth bei, ka lēu ba yōoc pil gēl liëny cuöñ tik (ECP) dukän wal yic. Tik a lēu bē ECP dek thää 120 yic tēn tēec yen ke moc ka kēc rot tiit liëc, rin tēkdā ka bē liëc gēl.

Na wic ba lēk kōk yōk

- Jaam kek aguir è Guiér è Macthok NSW telepun è jam 1300 658 886
886 wälä nem lökayukar: www.fpnsw.org.au/talkline
- NRS (raan cīn ye yic) 133 677
- Wälä lōoc Panakim è Guiér è Macthok tōu akeunhom

www.fpnsw.org.au | telepun è jam 1300 658 886 | dukän athör

loilooi è kīim & lēk | piööc & nyuuth | jäc | guiér è pinynhom


Aguir è Guiér è Macthok NSW a ce wēeu luööi bīk dhiët ku wēeu keen yen luui aa bēn tēn Amatnhōm è Pialguöp NSW

Lēk tōu athör kēn yic a cē gōt ka ye kē lēk kōc path ku cīn dēd lēu bī raan looi yeen. Aguir è FNPNSW a cē kē riëec ebēn guirrin bē lēk kēn ya lēk la cōk ku tēu nyien kööl wāär gēt yeen. Na lej raan díer alöp tē deen bī yen dhiët thīn wälä alöp tē deen bī yen pial thīn tē tēec yen ke moc/ tīk, ka yeen apath bē la tēn akiëm de bē yeen la wēët ku kony yeen; tēdā ka lēu bē la Panakim è Guiér Macthok.

Beeric: Pendhëtem 2014/FPNSW 06/14

Fact Sheet - English

THE MALE CONDOM



What Is The Male Condom?

The male condom is a tube of fine latex rubber which is closed at one end. It is worn on an erect (stiff) penis during sex, to prevent pregnancy. There are also non-latex male condoms made from a material called polyurethane. The male condom is usually just called a 'condom'. Condoms also help to prevent sexually transmissible infections (STIs), including HIV.



How Does A Condom Work?

It catches the semen when the man ejaculates. Then the sperm in the semen cannot travel up to meet an egg and start a pregnancy.

How Well Does It Work?

Condoms can work very well if they are used correctly every time. They are between 82% and 98% effective, depending how well they are used. This means that if 100 couples use them for a year then between 2 and 18 women will become pregnant.

Who Can Use A Condom?

Most men can use a condom.

How Do You Use A Condom?

- Condoms are individually wrapped in packets, so first carefully open the packet, making sure you do not tear the condom with your fingernails
- The condom will be rolled up. It will look like a circle of loose fine rubber with a thick rim, which is actually the rolled up condom. Make sure the rim is rolled towards the centre on the side facing you. This is important as it will then roll down properly
- Hold and squeeze the centre of the circle where the condom is loose, with your thumb and first two fingers. This will make space for the semen when you come. Some condoms have a special shape like a nipple at the end especially for this purpose
- The penis must be erect before you put on the condom. With the condom still rolled up, and while still holding the tip, put the condom on the head of the penis like a cap
- Using your other hand (thumb and first two fingers), roll the condom all the way down to the base of the penis
- Put some additional water-based lubricant on the outside of the condom if required

- After sex and before the penis has become soft, hold onto the condom at the base of the penis so that the condom does not come off, and semen does not leak out, and carefully pull away from your partner
- Take off the condom and tie a knot in the open end to keep the semen inside the condom
- Wrap the condom in a tissue or some paper, and put it in the bin. Do not flush it down the toilet



Things To Remember

A condom should be used ONE TIME ONLY.

Condoms can perish so keep them in a cool place and use them before the expiry date, otherwise they may break. Oil based lubricants can also make latex condoms break.

Condoms are self-lubricated but additional water-based lubricants can be also be used on the outside of the condom.

If you forget to use a condom, or you think it has not worked e.g. it breaks or slips off during sex, you can buy the emergency contraceptive pill (ECP) from a pharmacy. A woman can take the ECP within 120 hours after unprotected sex, to reduce the chance of pregnancy.

For Further Information

- Contact the Family Planning NSW Talkline on 1300 658 886 or go to www.fpnsw.org.au/talkline
- NRS (for deaf) 133 677
- Or visit your nearest Family Planning clinic

Reviewed: June 2014 | FPNSW 06/14

The information in this Factsheet has been provided for educational purposes only. Family Planning NSW has taken every care to ensure that the information is accurate and up-to-date at the time of publication. Individuals concerned about any personal reproductive or sexual health issue are encouraged to seek advice and assistance from their health care provider or visit an Family Planning NSW clinic.

Remember:

- Store condoms away from heat and sunlight
- Check the expiry date on the pack before you use it
- Check that the condom packet has not been torn or opened
- Do not have any genital contact before you put the condom on

Are There Any Side Effects?

There are no side effects, unless you are allergic to latex rubber or to the lubricant. This is very rare.

You can use non-latex polyurethane condoms as an alternative if you, or your partner, are allergic to latex rubber.

How Do You Get Condoms?

You can buy latex condoms from Family Planning Clinics, pharmacies, sexual health clinics, vending machines, supermarkets and by mail order. Non-latex condoms are available at most large supermarkets and pharmacies.